



**PROTECTS YOUR SPRINKLER AGAINST
HUMAN CARELESSNESS, FORGETFULNESS, NEGLECT**

ADT
1936

112,690 ALARMS IN 1936

DURING 1936, A.D.T. Central Stations responded to a total of 112,690 alarms from supervised sprinkler systems. As shown in the table below, the majority of these alarms were caused by conditions which—had they gone undetected—might have rendered the sprinkler systems partially or totally useless in case of fire.

Causes of Alarms

	Number of Alarms
Waterflow (fires or serious leaks)	1,989
Closed gate valves	32,658
Low water in gravity and surge tanks	7,944
Low temperature in gravity and surge tanks	1,906
High or low air in pressure tanks	10,396
High or low water in pressure tanks	3,521
High or low air in dry pipe systems	20,818
Other abnormal conditions	33,458
TOTAL ALARMS RECEIVED AND RESPONDED TO	112,690

99 97/100% IMMUNITY FROM FIRE LOSS

BY MAINTAINING an automatic check on every vital part of the sprinkler system . . . by automatically summoning the fire department the instant a sprinkler head opens, or in case of a serious leak . . . A.D.T. supervision keeps sprinkler protection at its highest possible degree of efficiency.

Total values of properties protected by A.D.T. Sprinkler Supervisory and Waterflow Alarm Service exceed . **\$5,109,802,793.**

During 1936, the percentage of fire and water damage losses to insurable values was **13/1,000ths of 1%.**

During the past ten years, this percentage has averaged 3/100ths of 1%, representing an **IMMUNITY FROM FIRE AND WATER LOSS OF 99 97/100ths %.**

Controlled Companies of
AMERICAN DISTRICT TELEGRAPH COMPANY

155 SIXTH AVENUE • NEW YORK, N.Y.



A NATION-WIDE PROTECTION SERVICE AGAINST FIRE, BURGLARY AND HOLDUP

Form No. 943 D-10 M-4-37