


Controlled Companies of  
**AMERICAN DISTRICT TELEGRAPH CO.**  
155 SIXTH AVENUE • NEW YORK, N. Y.



**CENTRAL STATION PROTECTION SERVICES  
IN ALL PRINCIPAL CITIES OF THE U. S.**

Form No. 943L—20M-3-44



## 303 CAPTURES DURING 1943

Captures during 1943 as the result of alarms from A.D.T. Intrusion and Holdup Protection Systems (including Invisible Ray Systems) amounted to a total of 303. In addition, there were 562 alarms from causes other than unlawful attack. The effectiveness of these services in preventing losses is shown below.

Captures as result of Burglar Alarms . . .	277
Captures as result of Holdup and other Emergency Alarms . . . . .	24
Alarms caused by firemen forcing entrance in performance of duty . . . . .	101
Alarms caused by policemen and others trying unlocked doors . . . . .	461

## 99<sup>99</sup>/<sub>100</sub>% IMMUNITY FROM BURGLARY LOSS

A.D.T. makes every effort to capture burglars and thereby remove them from circulation, but the *prevention of losses* is the primary function of A.D.T. Protection. The effectiveness of A.D.T. Burglar Alarm Service in accomplishing this primary purpose is apparent from the following figures showing the ratio of losses to values protected in 1943.

Total insurable values\* protected during 1943 by A.D.T. Burglar Alarm Service — \$1,606,947,000.

Losses in attacks on A.D.T. Protection—in relation to insurable values attacked . . . .	8/100ths of 1%
to insurable values protected . . . .	5/1000ths of 1%
Immunity from burglary loss . . . .	99 99/100ths %

\*Not including values in bank vaults, the U. S. Treasury, 32 Federal Reserve Banks and branches, the U. S. mints, or the Bullion Depositories at Fort Knox and West Point.

A NATION-WIDE PROTECTION SERVICE AGAINST FIRE • BURGLARY • HOLDUP

