



1947

PERFORMANCE

BURGLAR ALARM & HOLDUP ALARM SERVICES

**685
CAPTURES
during
1947!**

A Nation-wide Protection

During 1947 there were **1,819** attacks on ADT Protection, in which **1,020** entrances were effected — an increase of approximately 4 per cent over the previous year.

Captures resulting from such attacks increased from **589** in 1946 to a record-high total of **592** in 1947.

Captures resulting from holdup alarms and other emergency signals totalled **100** in 1946 and **93** in 1947.

In addition, firemen forcing entries in performance of their duties caused **232** alarms, and policemen trying unlocked doors caused **596** alarms.

The capture of burglars and other criminals is a significant by-product of ADT Protection. More important, however, is the extent of

Service against **FIRE • BURGLARY • HOLDUP**

99⁹⁹/₁₀₀%
IMMUNITY from
BURGLARY
LOSS!

immunity from burglary losses. The exceptional effectiveness of ADT Burglar Alarm Service in minimizing burglary losses is shown by the figures below:

Total insurable values protected by ADT Burglar Alarm Service: **\$1,992,275,000.***

Ratio of losses in attacks on ADT Protection to insurable values attacked: **15/100ths of 1%.**

Ratio of losses in attacks on ADT Protection to insurable values protected: **1/100th of 1%.**

Immunity from burglary loss during 1947 and during the last ten years: **99-99/100ths %.**

*Not including the ADT-protected values in bank vaults, the U. S. Treasury, 26 Federal Reserve Banks and branches, the U. S. Mints and the U. S. Bullion Depositories at Fort Knox, Ky., and West Point, N. Y.



Form 940-45M-4-48

Controlled Companies of
AMERICAN DISTRICT TELEGRAPH CO.

155 SIXTH AVENUE • NEW YORK 13, N. Y.

**CENTRAL STATION PROTECTION SERVICES
IN ALL PRINCIPAL CITIES OF THE U. S.**